

SL SL SERVICE BODY

READING

— NO BODY BETTER —



Made in
the USA



SL SERVICE BODY
ECONOMICAL QUALITY

SL STANDARD FEATURES



Body shown with optional equipment.

- 1 **Stainless Steel Rotary Locks** – Attractive appearance with no exposed fasteners; rust resistant. Features a double-bitted, high-quality locking cylinder; adjustable striker pins; and an O-ring seal to prevent water intrusion.
- 2 **Exclusive Dual-Pro® Seal System** – Large, automotive quality bubble-type seal and mechanical seal provide a dual line of defense against weather. Patented design increases clear door openings in every compartment of the body.
- 3 **Stainless Steel Bolt-On Block Hinges**
- 4 **Seamless Wheelhouse Panel**
- 5 **LED Stop, Tail, Turn and Clearance Lights**

- 6 **Slam Action Tailgate with Diamond Pattern Facer and Stainless Steel Knee Brace Hardware**
- 7 **Standard Shelf and Divider Equipment** – All shelves and dividers are removable and adjustable.
- 8 **Aluma-Fill®** – Fuel Receptacle protects the body and finish from accidental nicks and scratches

STANDARD FEATURES NOT PICTURED

- E-Coat Priming Process
- Galvannealed Steel Floor
- Full-Height Reinforced Bulkhead



SPECS


SL SERVICE BODY AND LOW-PROFILE SERVICE BODY

- Body-specific pooched bumper available for 98" model
- Standard 92" pooched bumper on 108" and 132" models
- Choice of white or red powder coat finish, inside and out
- Optional bolt-on masterlocking – not installed. Available for SL standard body, not the Low-Profile model

DIMENSIONAL DATA FOR THE 98 AND THE 108


Model	Approx. Weight	Cab-to-Axle	A	B	C	D	E	F	G	Approx. Compartment Clear Door Openings			Rear View			
										H	I	J	K	L	M	N
SLU98-SWs	1046 lbs.	56"	28"	47"	23"	98"	40"	11"	18.5"	22.5" x 33.375"	45.5" x 11.875"	17.5" x 33.75"	24"	14.5"	48.5"	77.5"
SLULP98-SWs	965 lbs.	56"	28"	47"	23"	98"	35"	8.25"	13.5"	22.5" x 28.375"	45.5" x 6.875"	17.5" x 28.75"	19"	14.5"	48.5"	77.5"
SLU108-DW	1249 lbs.	60"	33"	47"	28"	108"	40"	11"	18.5"	27.5" x 33.375"	45.5" x 11.875"	22.5" x 33.75"	24"	21.5"	48.5"	91.5"
SLULP108-DW	1158 lbs.	60"	33"	47"	28"	108"	35"	8.25"	13.5"	27.5" x 28.375"	45.5" x 6.875"	22.5" x 28.75"	19"	21.5"	48.5"	91.5"

Notes: s Equipped with spring shackle offsets (see diagram). Contact your Reading Distributor for dimensions.




DIMENSIONAL DATA FOR THE 132

Model	Approx. Weight	Cab-to-Axle	A	B	C	D	E	F	G	H	Approximate Compartment Clear Door Openings				Rear View
											I	J	K	L	M
SLU132-DW	1498 lbs.	84"	36"	21"	47"	28"	132"	40"	18.5"	9"	27.5" x 33.375"	17.5" x 33.375"	45.5" x 11.875"	27.5" x 33.375"	24"
SLULP132-DW	1387 lbs.	84"	36"	21"	47"	28"	132"	35"	13.5"	8"	27.5" x 28.375"	17.5" x 28.375"	45.5" x 6.875"	27.5" x 28.375"	19"



SL BOLT-ON SPACEMAKER BOX ASSEMBLY FOR 98 AND 108 MODELS ONLY

- Top-opening add-on compartments that provides 15% more storage
- Order individually
- Flexibility to open from the street or the load space



SL SPACEMAKER AND LOW-PROFILE SPACEMAKER BODY


- Top-opening compartments that provide 15% more storage space
- Choice of powder-coated white or aluminum diamond plate (shown) spacemaker lids
- Features two pneumatic props and rotary catches with push-button release
- Optional bolt-on masterlocking – not installed. Available for SL Spacemaker standard body, not the Low-Profile Spacemaker model

DIMENSIONAL DATA FOR THE 98 AND THE 108

Model	Approx. Weight		Cab-to-Axle	A	B	C	D	E	F	G	Approx. Compartment Clear Door Openings			Rear View				
	STL LIDS	AL LIDS									H	I	J	K	L	M	N	O
SLUS98-SWs	1198 lbs.	1125 lbs.	56"	28"	47"	23"	98"	41.75"	18.5"	4.75"	22.5" x 33.375"	45.5" x 12.75"	17.5" x 33.75"	24"	25.75"	14.5"	48.5"	77.75"
SLUSLP98-SWs	1117 lbs.	1044 lbs.	56"	28"	47"	23"	98"	36.75"	13.5"	3.75"	22.5" x 28.375"	45.5" x 8.75"	17.5" x 29.75"	19"	20.75"	14.5"	48.5"	77.75"
SLUS108-DW	1453 lbs.	1339 lbs.	60"	33"	47"	28"	108"	41.75"	18.5"	4.75"	27.5" x 33.375"	45.5" x 12.75"	22.5" x 33.75"	24"	25.75"	21.5"	48.5"	91.5"
SLUSLP108 - DW	1362 lbs.	1248 lbs.	60"	33"	47"	28"	108"	36.75"	13.5"	3.75"	27.5" x 28.375"	45.5" x 8.75"	22.5" x 29.75"	19"	20.75"	21.5"	48.5"	91.5"


Notes: s Equipped with spring shackle offsets (see diagram). Contact your Reading Distributor for dimensions.

Single Wheel Compartment Layout





Single Wheel Rear View

Some models equipped with spring shackle offsets (see "Models" chart)



DIMENSIONAL DATA FOR THE 132

Model	Approx. Weight		Cab-to-Axle	A	B	C	D	E	F	G	H	Approximate Compartment Clear Door Openings				Rear View
	STL LIDS	AL LIDS										I	J	K	L	
SLUS132-DW	1752 lbs.	1614 lbs.	84"	36"	21"	47"	28"	132"	41.75"	18.5"	4.75"	27.5" x 33.375"	17.5" x 33.375"	45.5" x 11.875"	27.5" x 33.375"	24"
SLUSLP132-DW	1642 lbs.	1504 lbs.	84"	36"	21"	47"	28"	132"	36.75"	13.5"	3.75"	27.5" x 28.375"	17.5" x 28.375"	45.5" x 6.875"	27.5" x 28.375"	19"



Model	Approximate Weight		A	B
	Steel Lids	Aluminum Lids		
98 SW	115 lbs.	88 lbs.	98.5"	12.125"
108 DW	158 lbs.	117 lbs.	108.5"	16"



The Quality You Expect

THE ECONOMICAL VALUE YOU DESERVE ...

- STRENGTH where it matters
- LEGENDARY quality and durability
- TIMELESS design, maximized for efficiency

Manufactured in Reading, Pa., the SL Service Body offers an impressive list of traditional Reading standard features. The SL bodies feature welded design and construction, and utilize A60 coated-weight galvanized steel throughout, including the load space floor. For extra durability, every SL Service Body moves through our exclusive E-Coat prime and powder-coat finish process, protecting it with the longest-lasting finish in the industry to prevent rust and corrosion.



STRONG | DURABLE | DEPENDABLE | VERSATILE



READING HAS A FULL LINE OF TRUCK BODIES TO CHOOSE FROM ...



Classic II Service Body – Steel



Classic II Service Body – Aluminum



Classic Service Van - Aluminum



SL Service Body



Panel Body



Ready Van SL – Steel



Cranemaster 3200 Body



Platform Body



Marauder Dump Body



Redi-Dek Body



Landscaper SL Body



Redi-Rack Body



Marauder SL Dump Body



Drop Side Dump Body



Stake Body



Custom Body



READING

— NO BODY BETTER —



MVP
MTEA MEMBER VERIFICATION PROGRAM

SOLD AND SERVICED LOCALLY BY



All dimensions subject to plus or minus tolerance of 1/4" and all dimensions and specifications are subject to change without notice. Some items displayed in photographs are optional. Aluma-Fill, Aluma-Chock, Dual-Pro, Ergo Glide-N-Lock, Latch-Matic, Marauder, Reading, Redi-Dek, Spacemaker, and Tool-Mates are registered trademarks of Reading Truck Group in the United States and some foreign countries. The Reading Kangaroo is a trademarked image and may not be reproduced or used without express permission from Reading Truck Group.