

TOOLBOXES

Buyers Products' comprehensive line of toolboxes, made in the U.S.A., set an industry standard for quality, material range and value.

ALL NEW

XD ALUMINUM BARN-DOOR

XD STEEL UNDERBODY

ALUMINUM & STEEL

B-PACKS



Aluminum Underbody

Aluminum Underbody Drop Door (Single Latch) / (Double Latch)



- .100" thick diamond tread aluminum
- Drop-down recessed door w/continuous hidden hinge
- Locking die-cast T-handle compression latch(es)
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Reinforced door backbone on boxes 48" and wider
- Aircraft-grade door cables and replaceable gasket sealing system

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1705150	14	12	24	1	23	530 (Y)
1705153	14	12	30	1	26	530 (Y)
1705160	14	16	24	1	25	530 (Y)
1705101	18	18	18	1	30	530 (Y)
1705100	18	18	24	1	32.5	530 (Y)
1705103	18	18	30	1	38.5	530 (Y)
1705105	18	18	36	1	43	530 (Y)
NEW 1705118	20	20	36	1	46	530 (Y)
1705130	24	24	24	1	45	530 (Y)
1705133	24	24	30	1	52	530 (Y)
1705135	24	24	36	1	59.5	530 (Y)

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1705110	18	18	48	2	56.5	530 (Y)
1705115	18	18	60	2	66	530 (Y)
1705120	18	24	48	2	63.5	530 (Y)

Aluminum Underbody w/Drop Door and Drawer



- .100" thick diamond tread aluminum
- Drop-down recessed door w/continuous hidden hinge
- Locking die-cast T-handle compression latch
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Reinforced door backbone
- Aircraft-grade door cables and replaceable gasket sealing system
- Drawer comes w/adjustable dividers and 100lb rated slides

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
NEW 1712200	20	18	24	2	50	530 (Y)
1712205	20	18	36	2	66	530 (Y)
1712210	20	18	48	2	85	530 (Y)

Aluminum Underbody Single Barn-Door



- .100" thick diamond tread aluminum
- Side-hinged door w/continuous hidden hinge
- Locking die-cast T-handle compression latch
- Can mount on flat surface
- Optional right/left door mounting
- D-bulb door seal

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1705201	18	18	18	1	27	530 (Y)
1705200	18	18	24	1	36	530 (Y)
1705203	18	18	30	1	42	530 (Y)

XD Aluminum Underbody Double Barn-Door **NEW**



- .125" thick smooth aluminum w/rigid extruded box frame
- Side-hinged doors w/optional right/left locking door
- Die-cast T-handle compression latch w/3pt locking system
- Stainless steel bolt-on continuous hinge w/oversized 1/4" pin
- Built-in rain gutter w/automotive bulb seal
- Unobstructed box opening w/no center post

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1705405	18	18	36	1	51	530 (Y)
1705410	18	18	48	1	62	530 (Y)
1705415	18	18	60	1	73	530 (Y)
1705420	18	24	36	1	58	530 (Y)
1705425	18	24	48	1	71	530 (Y)
1705430	18	24	60	1	85	530 (Y)
1705435	24	24	36	1	67	530 (Y)
1705440	24	24	48	1	83	530 (Y)
1705445	24	24	60	1	99	530 (Y)
1705450	24	24	72	1	105	530 (Y)

XD Aluminum Smooth Underbody Drop Door **NEW**



- .125" thick smooth aluminum w/rigid extruded box frame
- Drop-down door w/heavy duty lanyards
- Die-cast T-handle compression latch w/3pt locking system
- Stainless steel bolt-on continuous hinge w/oversized 1/4" pin
- Built-in rain gutter w/automotive bulb seal
- Unobstructed box opening w/no center post

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1706400	18	18	24	1	43.80	530 (Y)
1706403	18	18	30	1	50.45	530 (Y)
1706405	18	18	36	1	56.70	530 (Y)
1706410	18	18	48	1	64.45	530 (Y)
1706415	18	18	60	1	77.80	530 (Y)
1706420	18	24	36	1	56.68	530 (Y)
1706425	18	24	48	1	78.87	530 (Y)
1706430	18	24	60	1	82.70	530 (Y)

Aluminum Underbody Double Barn-Door (Diamond Tread)



- .100" thick diamond tread
- Side-hinged doors w/optional right/left locking door
- Die-cast T-handle compression latch w/3pt locking system
- Aluminum continuous hinge w/oversize 1/4" pin
- Can mount on flat surface
- Unobstructed box opening w/no center post
- D-bulb door seal

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702235	24	24	36	1	71	530 (Y)
1702240	24	24	48	1	76	530 (Y)
1702250	24	24	60	1	87	530 (Y)
1705205	18	18	36	1	49	530 (Y)
1705210	18	18	48	1	63	530 (Y)
1705215	18	18	60	1	77	530 (Y)

Aluminum Underbody Double Barn-Door (Smooth)



- .125" thick smooth aluminum
- Side-hinged doors w/optional right/left locking door
- Die-cast T-handle compression latch w/3pt locking system
- Aluminum continuous hinge w/oversize 1/4" pin
- Can mount on flat surface
- Unobstructed box opening w/no center post
- D-bulb door seal

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1705305	18	18	36	1	49	530 (Y)
1705310	18	18	48	1	63	530 (Y)
1705315	18	18	60	1	77	530 (Y)
1705333	24	24	30	1	69	530 (Y)
1705335	24	24	36	1	75	530 (Y)
1705340	24	24	48	1	87	530 (Y)
1705345	24	24	60	1	99	530 (Y)

Aluminum and Polymer Underbody

Black Aluminum Underbody Drop Door



1725110

- .100" thick diamond tread aluminum w/ black powdercoat finish
- Drop-down recessed door w/continuous hidden hinge
- Die-cast T-handle compression latch(es) w/3pt locking system
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Reinforced door backbone on boxes 48" and wider

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1725100	18	18	24	1	30	530 (Y)
1725101	18	18	18	1	27	530 (Y)
1725103	18	18	30	1	38	530 (Y)
1725105	18	18	36	1	42	530 (Y)
1725110	18	18	48	2	52	530 (Y)
1725115	18	18	60	2	70	530 (Y)
1725120	18	24	48	2	64	530 (Y)
1725130	24	24	24	1	46	530 (Y)
1725133	24	24	30	1	53	530 (Y)
1725135	24	24	36	1	59	530 (Y)
1725140	24	24	48	2	76	530 (Y)
1725145	24	24	60	2	89	530 (Y)
1725150	14	12	24	1	22.5	530 (Y)
1725153	14	12	30	1	27	530 (Y)
1725160	14	16	24	1	26	530 (Y)

Aluminum Underbody Drop Door w/3 Point Latch



1735100

- .100" thick diamond tread aluminum
- Drop-down recessed door w/continuous hidden hinge
- Die-cast T-handle compression latch w/3pt locking system
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Reinforced door backbone

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1735100	18	18	24	1	32.5	530 (Y)
1735103	18	18	30	1	38	530 (Y)
1735105	18	18	36	1	44	530 (Y)
1735130	24	24	24	1	45	530 (Y)
1735133	24	24	30	1	58	530 (Y)
1735135	24	24	36	1	63	530 (Y)

Polymer Underbody



1717110

- Constructed of high-density polyethylene
- Drop down door w/stainless steel hinge pin
- Stainless steel T-handle compression latch w/3pt locking system
- Molded double-wall door design
- Aircraft-grade door cables and replaceable gasket sealing system

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1717100	18	18	24	1	24	530 (Y)
1717105	18	18	36	1	31	530 (Y)
1717110	18	18	48	1	42	530 (Y)

Steel Underbody Drop Door Toolboxes

- 14 gauge steel box w/12 gauge steel door or black diamond tread aluminum door
- Drop-down recessed door w/continuous hidden hinge
- Locking stainless steel t-handle, paddle latch or die cast compression latch
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Reinforced door backbone on boxes 48" and wider
- Aircraft-grade door cables and replaceable gasket sealing system
- Note: 66" boxes are constructed of 12 gauge steel

Steel Underbody Drop Door w/Paddle Latch



Steel Underbody Drop Door w/T-Handle Latch



Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703150	14	12	24	1	48	530 (Y)
1703100	14	16	24	1	56	530 (Y)
1703103	14	16	30	1	65	530 (Y)
1702100	18	18	24	1	67	530 (Y)
1702103	18	18	30	1	80	530 (Y)
1702105	18	18	36	1	92	530 (Y)
1702110	18	18	48	2	118	530 (Y)
1702115	18	18	60	2	143	530 (Y)

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703349	14	12	18	1	40	530 (Y)
1703350	14	12	24	1	48	530 (Y)
1703300	14	16	24	1	56	530 (Y)
1703303	14	16	30	1	65	530 (Y)
1703305	14	16	36	1	74	530 (Y)
1703330	16	14	18	1	50	530 (Y)
1702295	18	18	18	1	47	530 (Y)
1702300	18	18	24	1	67	530 (Y)
1702303	18	18	30	1	80	530 (Y)
1702305	18	18	36	1	92	530 (Y)
1702310	18	18	48	2	118	530 (Y)
1702315	18	18	60	2	143	530 (Y)
1702317*	18	18	66	2	186	530 (Y)
1702325	18	18	72	2, 2 Doors	156	530 (Y)
1704300	24	24	24	1	87	530 (Y)
1704303	24	24	30	1	100	530 (Y)
1704305	24	24	36	1	116	530 (Y)
1704310	24	24	48	2	145	530 (Y)
1704315	24	24	60	2	175	530 (Y)
1708310	18	24	48	2	133	530 (Y)

Steel Underbody w/Aluminum Drop Door



Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702500	18	18	24	1	61	530 (Y)
1702503	18	18	30	1	72	530 (Y)
1702505	18	18	36	1	82	530 (Y)
1702510	18	18	48	2	104	530 (Y)

Steel Underbody

Steel Underbody Drop Door w/3 Point Latch (Black)



1732305

- 14 gauge steel box w/12 gauge steel door
- Available in black or white powdercoat finish
- Drop-down recessed door w/continuous hidden hinge
- Die-cast T-handle compression latch w/3pt locking system
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Reinforced door backbone

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1732300	18	18	24	1	59	530 (Y)
1732303	18	18	30	1	70	530 (Y)
1732305	18	18	36	1	83	530 (Y)
1734300	24	24	24	1	84	530 (Y)
1734303	24	24	30	1	95	530 (Y)
1734305	24	24	36	1	110	530 (Y)

Steel Underbody Drop Door w/3 Point Latch (White)



1732405

- 14 gauge steel box w/12 gauge steel door
- Available in black or white powdercoat finish
- Drop-down recessed door w/continuous hidden hinge
- Die-cast T-handle compression latch w/3pt locking system
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Reinforced door backbone

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1732400	18	18	24	1	59	530 (Y)
1732403	18	18	30	1	70	530 (Y)
1732405	18	18	36	1	83	530 (Y)
1734400	24	24	24	1	84	530 (Y)
1734403	24	24	30	1	95	530 (Y)
1734405	24	24	36	1	110	530 (Y)

XD Steel Underbody Drop Door **NEW** (Black)



1742300



- 12 gauge steel box and cross-broke door
- Built-in rain gutter
- Automotive D-bulb seal
- Greasable bullet hinges w/1/2" stainless steel pins
- Patent pending removable door design
- Die-cast, single-point latch system w/compression sealing roller
- Detachable 3/16" door chains

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1742300	18	18	24	1	80	530 (Y)
1742303	18	18	30	1	91	530 (Y)
1742305	18	18	36	1	104	530 (Y)
NEW 1742310	18	18	48	2	127	530 (Y)
1742315	18	18	60	2	149	530 (Y)
1742325	18	18	72	2	171	530 (Y)
1742335	18	18	90	2	204	530 (Y)

Steel Underbody Drop Door Toolboxes

- 14 gauge steel box w/12 gauge steel door
- Available in white or primer powdercoat finish
- Drop-down recessed door w/continuous hidden hinge
- Locking stainless steel t-handle or paddle latch(es)
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Reinforced door backbone on boxes 48" and wider
- Note: 66" boxes are constructed of 12 gauge steel

Steel Underbody Drop Door w/Paddle Latch



1702203



1702215

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703203	14	16	30	1	65	530 (Y)
1702200	18	18	24	1	67	530 (Y)
1702203	18	18	30	1	80	530 (Y)
1702205	18	18	36	1	92	530 (Y)
1702210	18	18	48	2	118	530 (Y)
1702215	18	18	60	2	143	530 (Y)

Steel Underbody Drop Door w/T-Handle Latch (Primer)



1702900

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703900	14	16	24	1	56	530 (Y)
1702900	18	18	24	1	67	530 (Y)
1702905	18	18	36	1	92	530 (Y)
1702910	18	18	48	2	118	530 (Y)

Steel Underbody Drop Door w/T-Handle Latch



1702410

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703400	14	16	24	1	56	530 (Y)
1703403	14	16	30	1	65	530 (Y)
1703405	14	16	36	1	71	530 (Y)
1702400	18	18	24	1	67	530 (Y)
1702403	18	18	30	1	80	530 (Y)
1702405	18	18	36	1	92	530 (Y)
1702410	18	18	48	2	118	530 (Y)
1702415	18	18	60	2	143	530 (Y)
1702417*	18	18	66	2	186	530 (Y)
1708410	18	24	48	2	133	530 (Y)
1704400	24	24	24	1	87	530 (Y)
1704403	24	24	30	1	100	530 (Y)
1704405	24	24	36	1	116	530 (Y)
1704410	24	24	48	2	145	530 (Y)
1704415	24	24	60	2	175	530 (Y)

Slant Back Steel Underbody Drop Door

- 14 gauge steel box w/12 gauge steel door w/black powdercoat finish
- Drop-down recessed door w/continuous hidden hinge
- Locking stainless steel t-handle
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Angled top allows room for fuel fill hoses on single rear wheel flat beds



Profile

1703351

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703351	14	12	18	1	40	530 (Y)
1703352	14	12	24	1	47	530 (Y)

Stainless Steel Underbody

Steel Underbody Toolbox w/Stainless Steel Door

- 16 gauge steel box w/12 gauge steel door
- Box available in black or white powdercoat finish or stainless
- Drop-down recessed door w/continuous hidden hinge
- Locking die-cast t-handle compression latch
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Bolted-on door backbone on boxes 48" and wider

Steel Underbody w/Stainless Steel Door (Black/Stainless)



1702700

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1703700	14	16	24	1	55	530 (Y)
1703703	14	16	30	1	64	530 (Y)
1703705	14	16	36	1	71	530 (Y)
1702700	18	18	24	1	72	530 (Y)
1702703	18	18	30	1	81	530 (Y)
1702705	18	18	36	1	101	530 (Y)
1702710	18	18	48	2	110	530 (Y)
1702715	18	18	60	2	132	530 (Y)
1702725	18	18	72	2, 2 doors	156	530 (Y)
1704705	24	24	36	1	132	530 (Y)
1704710	24	24	48	2	169	530 (Y)
1704715	24	24	60	2	227	530 (Y)

Steel Underbody w/Stainless Steel Door (White/Polished)



1702805

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702805	18	18	36	1	101	530 (Y)
1702810	18	18	48	2	110	530 (Y)
1702815	18	18	60	2	132	530 (Y)

Steel Underbody w/Stainless Steel Door (Stainless/Polished Door)



1702600

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702595	18	18	18	1	51.5	530 (Y)
1702600	18	18	24	1	72	530 (Y)
1702603	18	18	30	1	81	530 (Y)
1702605	18	18	36	1	101	530 (Y)
1702610	18	18	48	2	110	530 (Y)

Steel Underbody w/Stainless Steel Door (Highly Polished)



1702650

- 16 gauge mirror-finish steel box and door
- Drop-down door w/continuous hidden hinge
- Locking die-cast t-handle compression latch
- Door opening: flat surface mount (90°) or underbody mount (180°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Built-in rain gutter w/automotive bulb seal

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702650	18	18	24	1	48	530 (N)
1702653	18	18	30	1	57	530 (N)
1702655	18	18	36	1	65	530 (N)
1702660	18	18	48	2	80	530 (N)

Aluminum Mounting Brackets



- Aluminum Construction
- 1/4" formed Aluminum angles
- Welded braces
- Sold in boxed pairs

1701030

Part No.	Description	Dim	Wt. (lbs.)	Cat.
1701030	Welded Brackets	18"x18"	7.5	531 (Y)
1701040	Welded Brackets	24"x24"	10	531 (Y)

Poly Box Mounting Brackets



- Constructed of heavy-duty 2" C-channel A-36 steel
- Black powder coated
- Channel fits inside toolbox ribs
- Pre-drilled 7/16" mounting holes (nuts/bolts not included)
- Sold in boxed pairs

1701000

Part No.	Description	Dim	Wt. (lbs.)	Cat.
1701000	Steel Underbody Mounting Brackets, for 24" and 36" Poly	15"x14"	15.5	530 (Y)
1701001	Steel Underbody Mounting Brackets, for 48" Poly	15"x14"	11	530 (Y)

Steel Mounting Brackets



- Constructed of formed 3" steel C-channel, black powder coated for corrosion resistance
- Universal hole pattern for quick and easy mounting,
- Available with welded braces or bolt-on braces
- Available in heavy-duty structural steel
- Sold in boxed pairs

1701005

Part No.	Description	Dim	Wt. (lbs.)	Cat.
1701006	Formed Welded Brackets	18"x18"	16	531 (Y)
1701011	Formed Welded Brackets	18"x24"	19	531 (Y)
1701006B	Formed Bolted Brackets	18"x18"	16	531 (Y)
1701011B	Formed Bolted Brackets	18"x24"	19	531 (Y)
1701016	Formed Welded Brackets	24"x24"	22	531 (Y)
1701005	Structural Welded Brackets	18"x18"	24	531 (Y)
1701010	Structural Welded Brackets	18"x24"	27	531 (Y)
1701005B	Structural Bolted Brackets	18"x18"	24	531 (Y)
1701010B	Structural Bolted Brackets	18"x24"	27	531 (Y)
1701015	Structural Welded Brackets	24"x24"	32	531 (Y)

Stainless Steel Mounting Brackets



- Stainless Steel Construction
- Universal hole pattern for quick and easy mounting
- Welded braces
- Sold in boxed pairs

1701031

Part No.	Description	Dim	Wt. (lbs.)	Cat.
1701031	Welded Brackets	18"x18"	19	531 (Y)
1701041	Welded Brackets	18"x24"	22	531 (Y)

Topsiders

Steel Topsider ToolBox

- 16 gauge steel box w/14 gauge steel doors
- Available in black or white powdercoat finish
- Drop-down recessed doors w/continuous hidden hinge
- Locking stainless steel t-handles
- Door opening: flat surface mount (90°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Optional quick-mount trays
- Includes J-hooks for no-drill mounting and protective side rail pads

Steel Topsider (White)



Steel Topsider (Black)



Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702840	16	13	72	1	115	530 (Y)
1702850	16	13	88	1	120	530 (Y)
1702860	16	13	96	2	128	530 (Y)
1702840TRAY	2.25/4	10.75	35	-	11	530 (Y)
1702850TRAY	2.25/4	10.75	43	-	14	530 (Y)
1702860TRAY	2.25/4	10.75	47	-	15	530 (Y)

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1702940	16	13	72	1	115	530 (Y)
1702950	16	13	88	1	120	530 (Y)
1702960	16	13	96	2	128	530 (Y)
1702940TRAY	2.25/4	10.75	35	-	11	530 (Y)
1702950TRAY	2.25/4	10.75	43	-	14	530 (Y)
1702960TRAY	2.25/4	10.75	47	-	15	530 (Y)

Aluminum Topsider Toolbox

- .100" thick diamond tread aluminum
- Available in black powdercoat finish or diamond tread
- Locking die-cast t-handle compression latch
- Door opening: flat surface mount (90°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Includes J-hooks for no-drill mounting and protective side rail pads

Aluminum Topsider (Black)



Aluminum Topsider (Diamond Tread)



Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1721551	16	13	72	1	78	530 (Y)
1721556	16	13	88	1	89	530 (Y)
1721561	16	13	96	2	92	530 (Y)
1721565	18	16	90	1	99	530 (Y)
1721568	18	16	96	2	103	530 (Y)

Part No.	Height	Depth	Width	# Latches	Wt. (lbs.)	Cat.
1701551	16	13	72	1	78	530 (Y)
1701556	16	13	88	1	89	530 (Y)
1701561	16	13	96	2	92	530 (Y)
1701565	18	16	90	1	99	530 (Y)
1701568	18	16	96	2	103	530 (Y)

Aluminum Contractor Toolbox

- Diamond tread aluminum w/slanted double level box
- Comes w/2 doors*: top flip up door (w/gas shocks) and bottom drop door
- Also available in black powdercoat finish
- 4 Locking stainless steel t-handle latches
- Aircraft-grade door cables and replaceable gasket sealing system
- Includes mounting hardware

Aluminum Contractor w/Doors (Diamond Tread)



Part No.	Top Doors	Bottom Doors	Height	Depth	Width	Wt. (lbs.)	Cat.
1705640	1	1	21	13.5/10	72	68.5	530 (Y)
1705650	1	1	21	13.5/10	88	83.5	530 (Y)
1705660	1	1	21	13.5/10	96	88.5	530 (Y)
NEW 1705652	2	1	21	13.5/10	88	85	530 (Y)
NEW 1705662	2	1	21	13.5/10	96	91	530 (Y)

Aluminum Contractor w/Doors (Black Diamond Tread)



Part No.	Top Doors	Bottom Doors	Height	Depth	Width	Wt. (lbs.)	Cat.
1725640	1	1	21	13.5/10	72	68.5	530 (Y)
1725650	1	1	21	13.5/10	88	83.5	530 (Y)
1725660	1	1	21	13.5/10	96	88.5	530 (Y)
NEW 1725652	2	1	21	13.5/10	88	85	530 (Y)
NEW 1725662	2	1	21	13.5/10	96	91	530 (Y)

Aluminum Contractor w/Doors and Drawers

- Diamond tread aluminum
- Also available in black powdercoat finish
- 4 Locking stainless steel t-handle latches
- Door opening: flat surface mount (90°)
- Aircraft-grade door cables and replaceable gasket sealing system
- Drawer comes w/Adjustable dividers and 100lb rated slides
- Mounting legs and hardware included

Aluminum Contractor w/Doors and Drawers (Diamond Tread)



Part No.	Top Doors	Bottom Drawers	Height	Depth	Width	Wt. (lbs.)	Cat.
1705641	1	2	21	13.5/10	72	58	530 (Y)
1705651	1	2	21	13.5/10	88	91	530 (Y)
NEW 1705653	2	2	21	13.5/10	88	85	530 (Y)

Aluminum Contractor w/Doors and Drawers **NEW** (Black Diamond Tread)



Part No.	Top Doors	Bottom Drawers	Height	Depth	Width	Wt. (lbs.)	Cat.
NEW 1725641	1	2	21	13.5/10	72	58	530 (Y)
NEW 1725651	1	2	21	13.5/10	88	91	530 (Y)

Cross Box

Aluminum Cross Box Single Lid

- .100" thick diamond tread
- Wide opening lid with two gas shocks
- Includes tray and dividers
- Reinforced rib design
- Stainless steel one touch push button locks
- Suspends from pickup side rails w/included mounting hardware
- Fits full size pickups with 6-1/2' and 8' beds

Aluminum Cross Box Single Lid (Diamond Tread)



1709315

Part No.	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1709305	18/11	20	71/60	11.1	75	530 (Y)
1709308	23/16	20	71/60	14.2	77	530 (Y)
1709315	18/11	27	71/60	15.1	89	530 (Y)
1709318*	23/16	27	71/60	19.1	91	530 (Y)

*Works in beds with slants

Aluminum Cross Box Gull-Wing

- .100" thick diamond tread
- Double-sided lids with gas shocks
- Includes tray and dividers
- Reinforced rib design
- Stainless steel one touch push button locks
- Suspends from pickup side rails w/included J-Hooks
- Fits full size pickups with 6-1/2' and 8' beds

Aluminum Cross Box Gull-Wing (Diamond Tread)



1710305

Part No.	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1710305	18/11	20	71/60	11.1	67	530 (Y)
1710308	23/16	20	71/60	14.2	73	530 (Y)
1710315	18/11	27	71/60	15.1	81	530 (Y)
1710318*	23/16	27	71/60	19.1	85	530 (Y)

*Works in beds with slants

Aluminum Cross Box Single Lid **NEW** (Black Diamond Tread)



1729315

Part No.	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1729305	18/11	20	71/60	11.1	75	530 (Y)
1729308	23/16	20	71/60	14.2	77	530 (Y)
1729315	18/11	27	71/60	15.1	89	530 (Y)
1729318*	23/16	27	71/60	19.1	91	530 (Y)

*Works in beds with slants

Aluminum Cross Box Gull-Wing **NEW** (Black Diamond Tread)



1720305

Part No.	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1720305	18/11	20	71/60	11.1	67	530 (Y)
1720308	23/16	20	71/60	14.2	73	530 (Y)
1720315	18/11	27	71/60	15.1	81	530 (Y)
1720318*	23/16	27	71/60	19.1	85	530 (Y)

*Works in beds with slants

Aluminum Lo-Sider Toolbox

- Diamond tread
- Also available in black powdercoat
- Door assisting gas shocks
- Locking stainless steel paddle latch
- Includes tray and dividers
- Mounting hardware included
- Fits full size pickups with 6 1/2' and 8' beds

Aluminum Lo-Sider (Diamond Tread)



Part No.	Application	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1711010	Mounts along bedrail of pickups	13	10.5/16	47	5.2	23	530 (Y)
1711020	Mounts along bedrail of pickups	13	10.5/16	56	3.4	47	530 (Y)
1711025	Mounts along bedrail of pickups	13	10.5/16	70	4.0	52	530 (Y)
1711030	Mounts along bedrail of pickups	13	10.5/16	87	6.3	63	530 (Y)

Aluminum Lo-Sider **NEW** (Black)



Part No.	Application	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1721010	Mounts along bedrail of pickups	13	10.5/16	47	5.2	23	530 (Y)
1721020	Mounts along bedrail of pickups	13	10.5/16	56	3.4	47	530 (Y)
1721025	Mounts along bedrail of pickups	13	10.5/16	70	4.0	52	530 (Y)
1721030	Mounts along bedrail of pickups	13	10.5/16	87	6.3	63	530 (Y)

All-Purpose Chests

Aluminum All-Purpose w/Angled Base



1712030

- Diamond tread
- Offset lid allows for 90° opening when placed against truck bed
- Angled body for use with fifth wheel or gooseneck trailer application
- Door assisting gas shocks
- Stainless steel one-touch push button locks
- Includes tray and dividers

Part No.	Application	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1712010	Most Pickups (front slant on chest)	19	20/16	47/47	10	52.5	530 (Y)
1712020	Full-size Pickups, Long and Short Bed (front slant on chest)	19	20/16	55/54	12	55	530 (Y)
1712030	Full-size Pickups, Long and Short Bed (front and side slant on chest)	19	20/16	60/52	12.5	60	530 (Y)
1712035	Full-size Pickups, Long Bed Only (side slant on chest)	19	27/27	60/52	18	74	530 (Y)

Aluminum Jumbo Chest



1712110

- .100" thick diamond tread
- Door assisting gas shocks
- Aluminum hinge
- Locking stainless steel paddle latch
- Side-handles for easy lifting

Part No.	Application	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1712110	Multipurpose	24	24/22	49/48	15	73.5	530 (Y)
1712120	Full-size Multipurpose, Long and Short Bed (front slant on chest)	30	30/28	49/48	24	92	530 (Y)

Poly Chest



1712230

- Constructed of high-density polyethylene
- Stainless steel hasp and hinge
- Designed to mount to the front of a-frame style trailers

Part No.	Application	Height	Depth	Width	Cubic ft.	Wt. (lbs.)	Cat.
1712230	Multipurpose - One Zinc Hasp	13.5	15/9.25	32/29.5	2.6	16	530 (Y)
1712240	Multipurpose - Two Zinc Hasp	17.25	19/13.25	44/41.25	6.3	28	530 (Y)
1712250	Multipurpose - One Zinc Hasp	22.5	19.5/18.75	51/47	8.4	34	530 (Y)
1712255	Multipurpose - Two Zinc Hasp	26	23/21	51/47.25	15.8	46	530 (Y)
1712260	Multipurpose - Two Zinc Hasp	23	25/19	77/73	18.8	52	530 (Y)

Steel B-Pack (Black)



BP855524B
(Offset Floor)

- 14 gauge steel box w/12 gauge steel doors
- Gas spring door holders
- Two fixed shelves
- Stainless steel continuous hidden hinge
- Locking stainless steel T-handle latches
- Built-in rain gutter w/automotive bulb seal
- Two folding, passenger side J-hooks
- Built-in chassis mounting rail
- Optional steel bolt-on underbody box
(see B-Pack accessories or appropriate underbody category for more information)
- **Flat Floor:** Cab-over tucks
- **Offset Floor:** Conventional Cabs

Part No.	Description	Total Height	Depth	Width	Wt. (lbs.)	Cat.
BP855524B	Offset Floor (9.10")	55	24	85	536	592 (Y)
BP824624B	Flat Floor, No Offset	46	24	82	454	592 (Y)
NEW BP855924B	Flat Floor, No Offset	59	24	85	534	592 (Y)
1703300*	Black Steel Underbody Toolbox	14	16	24	46	530 (Y)

Steel B-Pack (White)



BP824624W
(Flat Floor)

Part No.	Description	Total Height	Depth	Width	Wt. (lbs.)	Cat.
BP855524W	Offset Floor (9.10")	55	24	85	536	592 (Y)
BP824624W	Flat Floor, No Offset	46	24	82	454	592 (Y)
NEW BP855924W	Flat Floor, No Offset	59	24	85	534	592 (Y)
1703400*	White Steel Underbody Toolbox	14	16	24	46	530 (Y)

Steel B-Pack (Primer)



BP855924P
(Flat Floor)

Part No.	Description	Total Height	Depth	Width	Wt. (lbs.)	Cat.
BP855524P	Offset Floor (9.10")	55	24	85	536	592 (Y)
NEW BP855924P	Flat Floor, No Offset	59	24	85	534	592 (Y)
1703900*	Primed Steel Underbody Toolbox	14	16	24	46	530 (Y)

*See steel underbodies for more information and images.

Aluminum B-packs

Aluminum B-Pack



BP825524



BP141624

- .100" thick aluminum diamond tread
- Gas spring door holders
- Two fixed shelves
- Stainless steel continuous hinge
- Locking die-cast T-handle compression latches
- Two folding J-hooks on passenger side of box
- Built-in rain gutter w/automotive bulb seal
- Spring cushioned mounting kit included
- Built-in chassis mounting rail
- Optional aluminum bolt-on underbody box (BP141624)
- **Flat Floor:** Cab-over tucks
- **Offset Floor:** Conventional Cabs

Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
BP824624	Flat Floor No Offset. Used on Cab-Over Trucks	46	24	82	216	592 (Y)
BP825524	Offset Floor (9.1"). Hangs Below Floor Level	55	24	82	234	592 (Y)
NEW BP826224	Offset Floor (16.35"). Hangs Below Floor Level	62	24	82	254	592 (Y)
BP925824	Offset Floor (8.75"). Hangs Below Floor Level	58	24	92	255	592 (Y)
NEW BP855924	Flat Floor No Offset. Used on Cab-Over Trucks	59	24	85	350	530 (Y)
BP141624	Optional Bolt-On Aluminum Underbody Toolbox	14	16	24	32	530 (Y)

B-Pack Accessories



3008086

- 5/8" U-bolts w/forged tie bars, springs and fasteners (all zinc plated)
- Included with aluminum B-Packs

Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
3008086*	Universal Spring Cushion Mounting Kit	-	-	-	17	531 (Y)

*Failure to use supplied cushion mounting kit may void warranty on Aluminum B-Pack Toolboxes. Additional sizes available as custom orders.

Poly Trailer Toolbox

- Constructed of high-density polyethylene
- Available in black or white
- Stainless steel hasp and hinge
- Designed to mount to the front of a-frame style trailers

Poly Trailer Tongue Box (White)



Part No.	Height	Depth	Width	Wt. (lbs.)	Cat.
1701679	18	19	36/18	21	530 (Y)

Poly Trailer Tongue Box (Black)



Part No.	Height	Depth	Width	Wt. (lbs.)	Cat.
1701680	18	19	36/18	21	530 (Y)

Aluminum Trailer Tongue Box



1701380

- Diamond tread aluminum
- Designed to mount to the front of A-frame style trailers
- Aluminum continuous hidden hinge
- Locking stainless steel paddle latch

Part No.	Height	Depth	Width	Wt. (lbs.)	Cat.
1701380	15	14.5	34/20.7	17.5	530 (Y)
1701385	18.5	15	49/37	28	530 (Y)

Steel Trailer Tongue Box



1701280

- 14 gauge steel box w/12 gauge steel door
- Designed to mount to the front of a-frame style trailers
- Stainless steel continuous hidden hinge
- Locking stainless steel paddle latch

Part No.	Height	Depth	Width	Wt. (lbs.)	Cat.
1701280	15	14.5	34/22.5	51	530 (Y)
1701281	12	13.25	26/14	33	530 (Y)
1701285	18.5	15	49/37	74	530 (Y)

Specialty

Poly Storage Box



- Durable, corrosion free construction
- Double panel, sloped lid with integral hasp
- Stainless steel hinge
- Hand holds for ease of carrying
- Fork lift slots
- Provides a dry storage area
- Stackable
- 9031105 ships UPS

Part No.	Application	Height	Depth	Width	Wt. (lbs.)	Cat.
9031100	Store Grain, Salt, Etc. in a Dry Area	30	24	36	28	903-1 (N)
9031105	Store Grain, Salt, Etc. in a Dry Area (ships UPS)	20	24	36	21	903-1 (N)
9031110	Material Scoop	-	-	-	2.47	903-1 (N)

Aluminum Pork Chop Box



- Low profile over-the-wheel mounting offers convenient storage while maximizing pickup truck bed space
- Constructed of heavy-duty diamond tread aluminum
- Lid features gas shock and one-touch stainless steel push button rotary locking mechanism
- Fits most pickups
- May also be mounted in front of wheel wells on full-size long bed pickups

Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
1711205	Drivers' Side Rear/Passengers' Side Front	19/8½	9-1/4	46¼/17¼	26	530 (Y)
1711206	Passengers' Side Rear/Drivers' Side Front	19/8½	9-1/4	46¼/17¼	26	530 (Y)

Parts Cabinet



- Store and index hardware or small parts
- White powder coated steel cabinet
- Injection molded plastic drawers with stops
- Includes two dividers per drawer
- Pre-drilled mounting holes (hardware not included)

Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
5411018	18 Drawer Cabinet	12	11-3/4	32-1/2	30.8	541 (N)
5411000	Drawer Replacement	3-1/4	12-1/4	5	0.61	541 (N)
5411005	Mounting Bracket for Cabinet	1-3/4	-	13-3/4	1.25	541 (N)

Aluminum Step Box



1705181

- Provides framed steps w/built-in storage space
- Non-slip (grip punch) steps
- .125 smooth aluminum body
- .100 diamond tread aluminum door
- Single rubber D-bulb door seal protects from the elements
- Die-cast locking T-latch and continuous hinge
- Corner gussets on door opening provide extra strength
- 1/8" thick integral corner braces provide mounting support (for heavy loads and toolboxes wider than 18", #1701015 steel mounting brackets are recommended to prevent stress cracks)
- For medium and heavy-duty trucks

Part No.	Height	Depth	Width	Wt. (lbs.)	Cat.
1705180	24	28	12	40	530 (Y)
1705181	24	28	18	46	530 (Y)
1705182	24	28	24	56	530 (Y)
1705183	24	28	30	66	530 (Y)

Between-The-Frame Box



- Mounts between truck frame rails
- Body constructed of .100" smooth aluminum
- .100" Diamond tread aluminum lid is cross braced w/.190" aluminum
- TIG Welded
- Full width stainless steel hinge with 1/4" diameter pin
- Overlapping lid design w/full perimeter gutter and D-bulb seals
- Zinc plated lock hasp

Part No.	Height	Depth	Width	Wt. (lbs.)	Cat.
1705190	9	22	30	32	530 (Y)

Chain Carrier



- TIG Welded
- Reinforced, structural steel construction
- Pre-drilled for simple frame mounting (bolts not included)
- Black powder coat finish
- Popular with over-the-road freight haulers required to carry tire chains

Part No.	Description	Height	Depth	Width	Wt. (lbs.)	Cat.
5910024	Hinged, Aluminum Diamond Plate Cover w/Lock Hasp	9	7.5	24	34	591 (N)
3023908	Replacement Lid				5.8	591 (N)

Specialty

J-Hook Hanger



- Universal J-hook hangers
- Bolt-on or weld-on
- Folding zinc plated J-hooks swing flush with compartment walls when not in use

Part No.	Description	Wt. (lbs.)	Cat.
3009122	Double J-Hook w/Steel Mounting Angle	0.85	530-1 (N)
3009938	Triple J-Hook w/Aluminum Mounting Angle	2.16	530-1 (N)

Door Lanyard



- 3/32 PVC coated galvanized steel wire lanyard with two swagged eyelets
- Custom sizes available by quote

Part No.	Dimensions	Wt. (lbs.)	Cat.
3027064	8.75" C-C	0.04	591 (N)
3027065	9.63" C-C	0.04	591 (N)
3003480	12.65" C-C	0.06	591 (N)
3004556	15.56" C-C	0.06	591 (N)
3003081	17.15" C-C	0.07	591 (N)
3024237	18.50" C-C	0.07	591 (N)
3024713	25.75" C-C	0.08	591 (N)
3024238	27.10" C-C	0.08	591 (N)

Dry-Mat Tile



- 3/4" thick, tough automotive grade recycled plastic
- Relieves physical stress on the job
- Provides fast evaporation while protecting the surface below
- Maintains original shape and color
- Fast, easy installation

Part No.	Description	Size	Wt. (lbs.)	Cat.
DM1212B	Tile	12 x 12	1.42	880 (N)
DM0212BM	Male Edge	2 x 12	0.35	880 (N)
DM0212BF	Female Edge	2 x 12	0.33	880 (N)
DM0214BMC	Male Corner	2 x 14	0.5	880 (N)