

**GOOD
ROADS**™
Since 1878


Snow Plows

America's Original Snow Equipment Manufacturer





**GOOD
ROADS**™
Since 1878
By Godwin 1-800-637-7651

120M Two-Way Plow • Shown With Options



Good Roads by Godwin
- Complete Snow Plow Product Guide -

www.goodroadsinc.com




Model 112

Two-Way Snow Plow

Small and light, this plow throws snow in either direction. It's ideal for getting into and clearing small, congested areas with ease. It features six 1/2" x 3" vertical ribs, 3 hinge points, and 60" outside hinge centers. The 112 is ideal for light/medium duty applications.

All Good Roads moldboards are constructed of HSLA A1011 Grade 50 10 ga. steel or better.



Model Number	112-930	112-936
Moldboard Length	9'	9'
Moldboard Height	30"	36"
Cutting Width (28")	7'11"	7'11"
Cutting Width (35")	7'5"	7'5"
Cutting Width (42")	6'10"	6'10"
Approximate Weight	775	870

Model 112M

Two-Way Snow Plow

Like the Model 112 but with a compound curve on top of the moldboard. More curvature provides more confinement of the snow until it's thrown off the side of the moldboard. The 112M features six 1/2" x 3" vertical ribs, 3 hinge points, and 60" outside hinge centers.

Every Good Roads plow is equipped with a standard enclosed trip mechanism.




Model Number	112M-930	112M-936
Moldboard Length	9'	9'
Moldboard Height	30"	36"
Cutting Width (28")	7'11"	7'11"
Cutting Width (35")	7'5"	7'5"
Cutting Width (42")	6'10"	6'10"
Approximate Weight	840	930

Model 120

Two-Way Snow Plow

The 120 series plow is a wider, heavy duty alternative to the 112. It features eight 1/2"x 3" vertical ribs, 5 hinge points, and 116" outside hinge centers. The 120 is ideal for medium to heavy duty applications.

All plows and major components are Zinc Primed and Powder coated for a finish that is 700% more corrosive resistant than traditional paint and primer.



Shown with optional power angle non-locking (PAN) attachment

Model Number	120-1030	120-1036	120-1042	120-1130	120-1136	120-1142
Moldboard Length	10'	10'	10'	11'	11'	11'
Moldboard Height	30"	36"	42"	30"	36"	42"
Cutting Width (28°)	8'10"	8'10"	8'10"	9'8"	9'8"	9'8"
Cutting Width (35°)	8'2"	8'2"	8'2"	9'	9'	9'
Cutting Width (42°)	7'7"	7'7"	7'7"	8'2"	8'2"	8'2"
Approximate Weight	1090	1190	1300	1110	1220	1330

Model 120M

Two-Way Snow Plow

Like the Model 120 but with a compound curve on top of the moldboard. More curvature provides more confinement of the snow until it's thrown off the side of the moldboard. The 120M features eight 1/2"x 3" vertical ribs, 3 hinge points, and 116" outside hinge centers.




Shown with optional "Quick Hitch" attachment

Model Number	120M-1030	120M-1036	120M-1042	120M-1130	120M-1136	120M-1142	120M-1148	120M-1230	120M-1236	120M-1242	120M-1248
Moldboard Length	10'	10'	10'	11'	11'	11'	11'	12'	12'	12'	12'
Moldboard Height	30"	36"	42"	30"	36"	42"	48"	30"	36"	42"	48"
Cutting Width (28°)	8'10"	8'10"	8'10"	9'8"	9'8"	9'8"	9'8"	10'7"	10'7"	10'7"	10'7"
Cutting Width (35°)	8'2"	8'2"	8'2"	9'	9'	9'	9'	9'10"	9'10"	9'10"	9'10"
Cutting Width (42°)	7'7"	7'7"	7'7"	8'2"	8'2"	8'2"	8'2"	9'	9'	9'	9'
Approximate Weight	1070	1160	1250	1260	1310	1360	1410	1310	1380	1450	1520

Model 712

One-Way Snow Flow

This tapered one way design is ideal for medium duty applications, and is designed for high speed snow removal. The 712 is large enough for freeway use, yet small enough for city streets and county roads where single direction snow throwing is desired.



M Curve



Standard Curve

Model Number	712
Moldboard Length	10'3"
Moldboard Height	28" - 46"
Cutting Width (28")	8'10"
Cutting Width (35")	8'2"
Cutting Width (42")	7'7"
Approximate Weight	1250

Available Options

- Power Angle Locking (PAL) Attachment *
- 8" Adjustable Caster Wheels *
- Adjustable Caster Skid Shoes *
- Adjustable Mushroom Shoes *
- Special Colors
- Driving Lights
- Road Contour Kit
- Rubber Snow Deflector
- Moldboard End Markers
- Polyurethane Moldboard
- 3/16" Moldboard
- Continuous Weld
- Reinforced Semicircle
- Lift Chain Springs
- Rubber Cutting Edge
- Polyurethane Cutting Edge
- Wrap Around Curb Bumper *
- Carbide Cutting Edges
- Flame Hardened Edges
- Blade Shoes

* = Photographed



1-800-637-7651 www.goodroadsinc.com

Good Roads by Godwin
P.O. Box 1147 Dunn, NC 28335
17665 U.S. 421 S. Dunn, NC 28334
Owned & Operated by The Godwin Group

Distributed
by:

CLIFFSIDE BODY CORPORATION
P.O. Box 206
130 Broad Avenue
FAIRVIEW, NEW JERSEY 07022
(201) 945-3970