



THE NEXT GENERATION

The Tommy Gate G2 Series is a dual-cylinder, parallel-arm design which utilizes a pair of hydraulic cylinders to lower and raise the lift by applying direct power to both sides of the platform. G2 Series liftgates for pickups are versatile, popular, and modern.

◀ **G2-60-1542 EA38**

Shown with optional rubber platform bumpers and discontinued recessed light kit. Recessed lights have been replaced by a bolt-on kit.

Frames and platforms on every G2 Series liftgate are hand assembled and hand welded, while precision parts are laser cut and/or robotically welded.



DUAL DRIVE ADVANTAGES

Dual-drive liftgates provide increased durability for rigorous cycling and have low maintenance requirements. A paint-before-assembly process also increases the longevity of the lift's aesthetics.

G2 SERIES LIFTGATE FEATURES

- Dual hydraulic cylinders
- Virtually maintenance-free components
- Recessed control
- Larger platforms
- Fully-enclosed hydraulic system located within the lift mainframe



SPECS


PICKUP — G2 SERIES

AVAILABLE MODELS

TWO-YEAR STANDARD WARRANTY

	Model Number	Load Area	Taper	Travel	Platform Fold	Application ¹	Gate Weight
1300 lb. Capacity	<u>Treadplate Platforms</u>						
	G2-60-1342 TP27	55 x 27	4	42	No	A,B	438
	G2-60-1342 TP38	55 x 38	4	42	Yes	A,B	478
	G2-60-1342 TP42	55 x 42	7	42	Yes	A,B	503
	<u>TommyTraction™ Platform</u>						
	G2-60-1342 TT27	55 x 27	4	42	No	A,B	439
	<u>Aluminum Platforms</u>						
	G2-60-1342 EA27	55 x 27	6	42	No	A,B	395
	G2-60-1342 EA38	55 x 38	6	42	Yes	A,B	421
	G2-60-1342 EA48 ²	55 x 48	6	42	Yes	A,B	442
<u>Bar Grate Platform</u>							
G2-60-1342 BG27	55 x 27	4	42	No	A,B	445	
1500 lb. Capacity	<u>Treadplate Platforms</u>						
	G2-60-1542 TP27	55 x 27	4	42	No	B	438
	G2-60-1542 TP38	55 x 38	4	42	Yes	B	478
	G2-60-1542 TP42	55 x 42	7	42	Yes	B	503
	<u>TommyTraction™ Platform</u>						
	G2-60-1542 TT27	55 x 27	4	42	No	B	439
	<u>Aluminum Platforms</u>						
	G2-60-1542 EA27	55 x 27	6	42	No	B	395
	G2-60-1542 EA38	55 x 38	6	42	Yes	B	421
	G2-60-1542 EA48 ²	55 x 48	6	42	Yes	B	442
<u>Bar Grate Platform</u>							
G2-60-1542 BG27	55 x 27	4	42	No	B	445	
G2 MODELS FOR MID-SIZED PICKUPS							
750 lb. Capacity	<u>Treadplate Platforms</u>						
	G2-54-7542 TP38 NEW	49 x 38	4	42	Yes	G	421
	<u>Aluminum Platforms</u>						
G2-54-7542 EA38 NEW	50 x 38	6	42	Yes	G	369	

G2 SERIES DIMENSIONS ³



1. See applications on page 55.
2. EA48 platform extends 10" above top of liftgate mainframe. See image on page 15.
3. For detailed dimensions, visit www.tommygate.com

FEATURES & OPTIONS

PICKUP

STANDARD FEATURES



	Fixed and Timed Toggle Control	●	●
	Recessed Control	●	-
	Vehicle-specific Mounting Brackets	●	●
	Power Cable with Full-length Ground	●	●
	Spare Tire Access	●	●
	150-amp Circuit Breaker	●	●
	Maintenance-free Pins and Bushings	●	-
	Drop-away Platform	●	-
	Hitch Compatible	● ¹	● ¹

AVAILABLE OPTIONS



	Remote Pendant Control	●	●
	Dual Controls	●	●
	Rubber Platform Bumpers	●	●
	Bolt-on Light Kit (Incandescent or LED)	●	-
	Bolt-on Light Kit (incandescent or LED)	-	●
	Folding Tire Rack	● ²	● ²
	Galvanized Frame and Platform	● ³	-
	Rear Camera and Sensor Bar	●	●

- Standard
- Optional
- Not Available

1. Compatible with many hitches. Visit www.tommygate.com to view complete hitch chart.
2. Not compatible with folding platforms. See spec charts.
3. Galvanized option not available with Steel Treadplate platforms. Call factory for ordering details.

PLATFORMS PICKUP

PLATFORM MATERIALS



	Steel Treadplate	●	●
	Extruded Aluminum	●	●
	TommyTraction	●	●
	Steel Bargrate	●	-

EXTRUDED ALUMINUM (G2 SERIES MODELS SHOWN)

EA27 - 27" Loading Depth



EA38 - 38" Loading Depth



EA48 - 48" Loading Depth (EXTENDS ABOVE TRUCK BOX)



STEEL PLATFORMS (G2 SERIES MODELS SHOWN)

TP27 - 27" Loading Depth



TP38 - 38" Loading Depth



TP42 - 42" Loading Depth



G2-SERIES GALVANIZING OPTION

A high-quality galvanized finish supports long-lasting performance and appearance in even the most extreme climate conditions.

NOT AVAILABLE WITH STEEL TREADPLATE PLATFORMS. CALL FACTORY FOR ORDERING DETAILS.

