



CS415 Conversion Hoist



**POWDER
COATED
PRIMER**

**Manufactured Using
100K Material**

Experience that Matters

If you're in the market for a hoist, look no further. Champion Hoist and Equipment™ has a low tolerance for defects and a strong desire for quality craftsmanship to ensure customer satisfaction. Dedicated to perfection and continuing to lead the industry with over 100 years of excellence, Champion built hoists are well developed and industry proven. Champion hoists are shot blasted and powder coated black to ensure a long lasting durable product. We are a proud member of the National Truck Equipment Association.

This hoist is NTEA rating class B

Cylinder specification: 4" Bore; 15" Stroke; 2" Diameter Rod
Available with Single or Double Acting Electric Pump, or
Direct mount pump with tank valve combination

GVW: 6,000 - 8,000
Mounting Heights: 6-1/2"
Capacity Range: 4.9 - 9.8 Tons
Approximate Weight: 280 LBS

Rear hinge and upper and lower pivots are included.

With over 30 hoists offered,
Champion Hoist and Equipment™
is sure to have what you need.

Champion Hoist and Equipment™
200 Champion Drive
Dunn, NC 28334
(910) 897-4995 Fax (910) 897-7306



CS515 Conversion Hoist

**Manufactured Using
100K Material**

**POWDER
COATED
PRIMER**

Experience that Matters

If you're in the market for a hoist, look no further. Champion Hoist and Equipment™ has a low tolerance for defects and a strong desire for quality craftsmanship to ensure customer satisfaction. Dedicated to perfection and continuing to lead the industry with over 100 years of excellence, Champion built hoists are well developed and industry proven. Champion hoists are shot blasted and powder coated black to ensure a long lasting durable product. We are a proud member of the National Truck Equipment Association.

This hoist is NTEA rating class C

Cylinder specification: 5" Bore; 15" Stroke; 2" Diameter Rod
Available with Single or Double Acting Electric Pump, or
Direct mount pump with tank valve combination

GVW:	10,000
Mounting Heights:	6-1/2"
Capacity Range:	6.9 - 15.4 Tons
Approximate Weight:	390 LBS

Rear hinge and upper and lower pivots are included.

This CS 515 hoist is shown with an available sub frame. Sub frames are also available for the CS 615, CS 615 HD, CS 620 HD at an additional cost. Frame adds an additional 4-1/2" to the mounting height and is available up to 16' long depending on hoist model.

With over 30 hoists offered,
Champion Hoist and Equipment™
is sure to have what you need.

Champion Hoist and Equipment™
200 Champion Drive
Dunn, NC 28334
(910) 897-4995 Fax (910) 897-7306



CS615 Conversion Hoist

**Manufactured Using
100K Material**

Experience that Matters

If you're in the market for a hoist, look no further. Champion Hoist and EquipmentTM has a low tolerance for defects and a strong desire for quality craftsmanship to ensure customer satisfaction. Dedicated to perfection and continuing to lead the industry with over 100 years of excellence, Champion built hoists are well developed and industry proven. Champion hoists are shot blasted and powder coated black to ensure a long lasting durable product. We are a proud member of the National Truck Equipment Association.

This hoist is NTEA rating class D

Cylinder specification: 6" Bore; 15" Stroke; 2" Diameter Rod
Available with Single or Double Acting Electric Pump, or
Direct mount pump with tank valve combination

GVW:	10,000
Mounting Heights:	6-1/2"
Capacity Range:	9.9 - 22.1 Tons
Approximate Weight:	400 LBS

Rear hinge and upper and lower pivots are included.

With over 50 hoists offered,
Champion Hoist and EquipmentTM
is sure to have what you need.

Champion Hoist and EquipmentTM
200 Champion Drive
Dunn, NC 28334
(910) 897-4995 Fax (910) 897-7306



CS615HD Conversion Hoist

**Manufactured Using
100K Material**

Experience that Matters

If you're in the market for a hoist, look no further. Champion Hoist and Equipment™ has a low tolerance for defects and a strong desire for quality craftsmanship to ensure customer satisfaction. Dedicated to perfection and continuing to lead the industry with over 100 years of excellence, Champion built hoists are well developed and industry proven. Champion hoists are shot blasted and powder coated black to ensure a long lasting durable product. We are a proud member of the National Truck Equipment Association.

This hoist is NTEA rating class D

Cylinder specification: 6" Bore; 15" Stroke; 2" Diameter Rod
Available with Single or Double Acting Electric Pump, or
Direct mount pump with tank valve combination

GVW: 14,000 - 18,000

Mounting Heights: 6-1/2"

Capacity Range: 8.6 - 21.1 Tons

Approximate Weight: 580 LBS

Rear hinge and upper and lower pivots are included.



**POWDER
COATED
PRIMER**

With over 50 hoists offered,
Champion Hoist and Equipment™
is sure to have what you need.

Champion Hoist and Equipment™
200 Champion Drive
Dunn, NC 28334
(910) 897-4995 Fax (910) 897-7306



CS615LS Conversion Hoist



**POWDER
COATED
PRIMER**

**Manufactured Using
100K Material**

Experience that Matters

If you're in the market for a hoist, look no further. Champion Hoist and EquipmentTM has a low tolerance for defects and a strong desire for quality craftsmanship to ensure customer satisfaction. Dedicated to perfection and continuing to lead the industry with over 100 years of excellence, Champion built hoists are well developed and industry proven. Champion hoists are shot blasted and powder coated black to ensure a long lasting durable product. We are a proud member of the National Truck Equipment Association.

This hoist is NTEA rating class D

Cylinder specification: 6" Bore; 15" Stroke; 2" Diameter Rod
Available with Single or Double Acting Electric Pump, or
Direct mount pump with tank valve combination

GVW: 14,000 - 18,000
Mounting Heights: 6-1/2"
Capacity Range: 8.6 - 19.2 Tons
Approximate Weight: 435 LBS

Rear hinge and upper and lower pivots are included.

With over 50 hoists offered,
Champion Hoist and EquipmentTM
is sure to have what you need.

Champion Hoist and EquipmentTM
200 Champion Drive
Dunn, NC 28334
(910) 897-4995 Fax (910) 897-7306



CS620HD Conversion Hoist



**POWDER
COATED
PRIMER**

**Manufactured Using
100K Material**

Experience that Matters

If you're in the market for a hoist, look no further. Champion Hoist and Equipment™ has a low tolerance for defects and a strong desire for quality craftsmanship to ensure customer satisfaction. Dedicated to perfection and continuing to lead the industry with over 100 years of excellence, Champion built hoists are well developed and industry proven. Champion hoists are shot blasted and powder coated black to ensure a long lasting durable product. We are a proud member of the National Truck Equipment Association.

This hoist is NTEA rating class D

Cylinder specification: 6" Bore; 20" Stroke; 2" Diameter Rod
Available with Single or Double Acting Electric Pump, or
Direct mount pump with tank valve combination

GVW: 14,000 - 24,000
Mounting Heights: 6-1/2"
Capacity Range: 11.8 - 24.2 Tons
Approximate Weight: 635 LBS

Rear hinge and upper and lower pivots are included.

With over 50 hoists offered,
Champion Hoist and Equipment™
is sure to have what you need.

Champion Hoist and Equipment™
200 Champion Drive
Dunn, NC 28334
(910) 897-4995 Fax (910) 897-7306



CS6615 Conversion Hoist

**Manufactured Using
100K Material**

Experience that Matters

If you're in the market for a hoist, look no further. Champion Hoist and Equipment™ has a low tolerance for defects and a strong desire for quality craftsmanship to ensure customer satisfaction. Dedicated to perfection and continuing to lead the industry with over 100 years of excellence, Champion built hoists are well developed and industry proven. Champion hoists are shot blasted and powder coated black to ensure a long lasting durable product. We are a proud member of the National Truck Equipment Association.

This hoist is NTEA rating class E

Cylinder specification: Twin 6" Bore; 15" Stroke; 2" Rod
Available with Direct mount pump with tank valve combo

GVW:	24,000 - 28,000
Mounting Heights:	6-1/2"
Capacity Range:	17.8 - 27.3 Tons
Approximate Weight:	690 LBS

Rear hinge and upper and lower pivots are included.

With over 50 hoists offered,
Champion Hoist and Equipment™
is sure to have what you need.

Champion Hoist and Equipment™
200 Champion Drive
Dunn, NC 28334
(910) 897-4995 Fax (910) 897-7306



CS6620 Conversion Hoist

**Manufactured Using
100K Material**

Experience that Matters

If you're in the market for a hoist, look no further. Champion Hoist and EquipmentTM has a low tolerance for defects and a strong desire for quality craftsmanship to ensure customer satisfaction. Dedicated to perfection and continuing to lead the industry with over 100 years of excellence, Champion built hoists are well developed and industry proven. Champion hoists are shot blasted and powder coated black to ensure a long lasting durable product. We are a proud member of the National Truck Equipment Association.

This hoist is NTEA rating class G

Cylinder specification: Twin 6" Bore; 20" Stroke; 2" Rod
Available with Direct mount pump with tank valve combo

GVW:	24,000 - 28,000
Mounting Heights:	6-1/2"
Capacity Range:	21.4 - 35.9 Tons
Approximate Weight:	775 LBS

Rear hinge and upper and lower pivots are included.

With over 50 hoists offered,
Champion Hoist and EquipmentTM
is sure to have what you need.

Champion Hoist and EquipmentTM
200 Champion Drive
Dunn, NC 28334
(910) 897-4995 Fax (910) 897-7306

**POWDER
COATED
PRIMER**



GS628 Conversion Hoist

NEW

**All Champion hoists
are NTEA rated**



Experience that Matters

If you're in the market for a hoist, look no further. Champion Hoist and Equipment™ has a low tolerance for defects and a strong desire for quality craftsmanship to ensure customer satisfaction. Dedicated to perfection and continuing to lead the industry with over 35 years of excellence, Champion built hoists are well developed and industry proven. Champion hoists are shot blasted and powder coated black to ensure a long lasting durable product. We are a proud member of the National Truck Equipment Association.

This hoist is NTEA rating class E

The GS628 is recommended for 14' to 17' bodies on trucks with 24,000 to 28,000 GVWR rated chassis. This hoist uses a sturdy 6" cylinder with 28" stroke. Rear hinge and upper and lower pivots are included. Hydraulic packages are available. Gear pumps with reservoirs, Monarch electric double acting reservoir with Williams recycle valve.

With over 30 hoists offered,
Champion Hoist and Equipment™
is sure to have what you need.

Champion Hoist and Equipment™
200 Champion Drive
Dunn, NC 28334
(910) 897-4995 Fax (910) 897-7306



CS6630 Conversion Hoist

**Manufactured Using
100K Material**

Experience that Matters

If you're in the market for a hoist, look no further. Champion Hoist and Equipment™ has a low tolerance for defects and a strong desire for quality craftsmanship to ensure customer satisfaction. Dedicated to perfection and continuing to lead the industry with over 100 years of excellence, Champion built hoists are well developed and industry proven. Champion hoists are shot blasted and powder coated black to ensure a long lasting durable product. We are a proud member of the National Truck Equipment Association.

This hoist is NTEA rating class H

Cylinder specification: Twin 6" Bore; 30" Stroke; 2-1/2" Rod
Available with Direct mount pump with tank valve combo

GVW:	38,000 - 50,000
Mounting Heights:	7-1/2"
Capacity Range:	20.4 - 35.6 Tons
Approximate Weight:	1055 LBS

Rear hinge and upper and lower pivots are included.

With over 50 hoists offered,
Champion Hoist and Equipment™
is sure to have what you need.

Champion Hoist and Equipment™
200 Champion Drive
Dunn, NC 28334
(910) 897-4995 Fax (910) 897-7306